	Application No.	Applicant(s)
Notice of Allowability		
	10/696,712 Examiner	LAHMANN ET AL. Art Unit
		1
	Geoffrey L. Knable	1733
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed 6-5-2006</u> .		
2. The allowed claim(s) is/are 1,3-5 and 7.		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).		
a) All b) Some* c) None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
•		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)	E [] Nation of Informal D	atant Application (PTO 152)
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Summary	atent Application (PTO-152)
	Paper No./Mail Dat	e
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	8), 7. 🛛 Examiner's Amenda	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
or biological waterial	9.	

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the claims:

This application is in condition for allowance except for the presence of claims 6 and 8-10¹ directed to species II non-elected *without* traverse, there being no allowable generic claim. Accordingly, claims 6 and 8-10 have been cancelled.

Reason for Allowance

2. The following is an examiner's statement of reasons for allowance:

The claims are allowed for substantially the reasons advanced by applicant in the remarks accompanying the June 5, 2006 amendment. It should additionally be noted however that applicant's argument that in Sauer (US 3,605,717), the apertures are formed for the purpose of providing the *main* air flow in the chamber, is not agreed with insofar as Sauer designates the apparently optional flow though apertures 21 as a "secondary" air circulation (col. 13, lines 43-50), the main circulation being illustrated in fig. 4. Applicant's other comments/arguments with respect to this reference are however agreed with. Additionally, it is stressed that Sauer is directed to a gas fired

¹ Claim 7 has been rejoined with the elected species in view of the amendments thereto.

Application/Control Number: 10/696,712

Art Unit: 1733

convection oven for processing food rather than an autoclave for curing a tread strip to a tire casing as claimed, these differing substantially in structure, function and manner of operation (e.g. note that the oven in Sauer is certainly not a pressurized chamber). As such, it is not considered that the ordinary artisan would have reasonably looked to the teachings in Sauer for modifying an autoclave for curing a tread strip as in the admitted prior art.

None of the closest prior art, then, whether taken singly or in combination would teach or render obvious an autoclave for curing a tread strip to a tire casing with heated, pressurized air, including an elongated chamber having a frame for supporting tire casing and tread assemblies within the chamber and a heat exchanger for heating air and the air supply/circulating/turbulence generator structures configured and operable as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Geoffrey L. Knable whose telephone number is 571-272-1220. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on 571-272-1226. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 4

Application/Control Number: 10/696,712

Art Unit: 1733

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Geoffrey L. Knable Primary Examiner Art Unit 1733

G. Knable August 17, 2006